European Journal of Pharmacology, 149 (1988) 407–410
Elsevier

AUTHOR INDEX

Adolfs, M.J.P., see Bachelet, M. (149) 73
Alborch, E., see Torregrosa, G. (149) 17
Amenta, F., see Baldi, E. (149) 351
Argiolas, A., Collu, M., Gessa, G.L., Melis, M.R. and Serra, G.
The oxytocin antagonist d$(CH_2)_5$Tyr(Me)-Orn^8-vasotocin inhibits male copulatory behaviour in rats (149) 389
Aspley, S., see Watling, K.J. (149) 397

Bachelet, M., Adolfs, M.J.P., Masliah, J., Bereziat, G., Vargaftig, B.B. and Bonta, I.L.
Interaction between PAF-acether and drugs that stimulate cyclic AMP in guinea-pig alveolar macrophages (149) 73
Balázs, M., Schwarzberg, H. and Telegdy, G.
Effects of somatostatin on self-stimulation behaviour in rats pretreated with a receptor blocker (149) 141
Baldi, E., Pupilli, C., Amenta, F. and Mannelli, M.
Presence of dopamine-dependent adenylate cyclase activity in human renal cortex (149) 351
Barbanti, G., see Maggi, C.A. (149) 393
Barone, P., Tucci, I., Parashos, S.A. and Chase, T.N.
Supersensitivity to a D-1 dopamine receptor agonist and subsensitivity to a D-2 receptor agonist following chronic D-1 receptor blockade (149) 225
Battaglia, G., Brooks, B.P., Kulsakdinun, C. and De Souza, E.B.
Pharmacologic profile of MDMA (3,4-methylenedioxymethamphetamine) at various brain recognition sites (149) 159
Belcourt, A., see Dontenwill, M. (149) 249
Bénavidès, J., Rivy, J.-P., Carter, C. and Scatton, B.
Differential modulation of [^{3}H]TCP binding to the NMDA receptor by L-glutamate and glycine (149) 67
Bénavidès, J., see Claustre, Y. (149) 149
Beneforti, P., see Maggi, C.A. (149) 393
Bereziat, G., see Bachelet, M. (149) 73
Bernton, E.W., see Bryant, H.U. (149) 165
Bevan, P., see Wouters, W. (149) 213
Bhatnagar, R.K., see Chatterjee, T.K. (149) 241
Bijak, M. and Smiałowski, A.
The effect of acute and prolonged treatment with citalopram on the action of dopamine and SKF 38393 in rat hippocampal slices (149) 41
Bitterman, H., see Stahl, G.L. (149) 233
Boddeke, E.W.G.M., Wilffert, B., Heynis, J.B., Hugtenburg, J.G., Jap, W.T.J., Veldsema-Currie, R.D. and Van Zwieten, P.A.
The anti-ischaemic activity of the novel compound, CERM 11956, compared with that of bepridil and nifedipine in isolated guinea-pig hearts (149) 195
Boeck, V., see Mikkelsen, E.O. (149) 145
Bonta, I.L., see Bachelet, M. (149) 73
Bousquet, P., see Dontenwill, M. (149) 249
Bowen, W.D., Kirschner, B.N., Newman, A.H. and Rice, K.C.
σ Receptors negatively modulate agonist-stimulated phosphoinositide metabolism in rat brain (149) 399
Bozza, P.T., see Martins, M.A. (149) 89
Bricca, G., see Dontenwill, M. (149) 249
Brooks, B.P., see Battaglia, G. (149) 159
Brugger, F., see Olpe, H.-R. (149) 183
Bryant, H.U., Yoburn, B.C., Inturrisi, C.E., Bernton, E.W. and Holaday, J.W.
Morphine-induced immunomodulation is not related to serum morphine concentrations (149) 165
Buga, G.M., see Ignarro, L.J. (149) 79
Bunney, B.S., see Silva, N.L. (149) 307

Campos, V., see Torregrosa, G. (149) 17
Cannon, J.G., see Chatterjee, T.K. (149) 241
Cantrill, R.C., see Davidson, B. (149) 317
Carter, C., see Bénavidès, J. (149) 67
Castro Faria Neto, H.C., see Martins, M.A. (149) 89
Chase, T.N., see Barone, P. (149) 225
Chatterjee, T.K., Long, J.P., Cannon, J.G. and Bhatnagar, R.K.
Methylpiperidine analog of hemicholinium-3: a selective, high affinity non-competitive inhibitor of sodium dependent choline uptake system (149) 241
Chaudhuri, G., see Ignarro, L.J. (149) 79
Chauhan, S.P.S., see Das, M. (149) 55
Chen, J.-C. and Ramirez, V.D.
Comparison of the effect of prolactin on dopamine release from the rat dorsal and ventral striatum and from the mediobasal hypothalamus superfused in vitro (149) 1
Chiarugi, V.P., see Pellegrini-Giampietro, D.E. (149) 297
Christinaki, H., see Servin, A.L. (149) 371
Claustre, Y., Bénavidès, J. and Scatton, B.
5-HT_{1A} receptor agonists inhibit carbachol-induced stimulation of phosphoinositide turnover in the rat hippocampus (149) 149
Collu, M., see Argiolas, A. (149) 389
Cordeiro, R.S.B., see Martins, M.A. (149) 89
Cragoe Jr., E.J., see Velly, J. (149) 97

Das, M., Chauhan, S.P.S. and Ganguly, D.K.
α_2-Antagonistic effect of N-carbamoyl-2-(2,6-dichlorophenyl) acetamidine hydrochloride (LON-954) (149) 55
Davidson, B., Kurstjens, N.P., Patton, J. and Cantrill, R.C.

0014-2999/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Essential fatty acids modulate apomorphine activity at dopamine receptors in cat caudate slices (149) 317
Decker, N., see Velly, J. (149) 97
De la Baume, S. and Schwartz, J.-C.
Labelling and exploration of the active site of enkephalinase (EC 3.4.24.11) in kidney membranes with [^{3}H]thiorphan as ligand (149) 121
De Souza, E.B., see Battaglia, G. (149) 159
Devillier, P., Renoux, M., Drapeau, G. and Regoli, D.
Histamine release from rat peritoneal mast cells by kinin antagonists (149) 137
Dias, P.M.F.L., see Martins, M.A. (149) 89
Dontenwill, M., Bricca, G., Molines, A., Bousquet, P. and Belcourt, A.
Production and characterization of anti-clonidine antibodies not cross-reacting with catecholamines (149) 249
Drapeau, G., see Devillier, P. (149) 137

Farská, I., Krulík, R. and Slíva, D.
Effect of immobilization stress on tricyclic antidepressant binding and serotonin uptake in rats (149) 363
Farská, I., see Krulík, R. (149) 357
Ferron, A., see Lacroix, D. (149) 277
Fletcher, G.H. and Starr, M.S.
Intracerebral SCH 23390 and catalepsy in the rat (149) 175
Fozard, J.R., see Mir, A.K. (149) 107
Frussa-Filho, R. and Palermo-Neto, J.
Effects of single and long-term metoclopramide administration on open field and stereotyped behavior of rats (149) 323
Fuksová, K., see Krulík, R. (149) 357
Fukuda, H., see Nagano, N. (149) 337

Ganguly, D.K., see Das, M. (149) 55
Gessa, G.L., see Argiolas, A. (149) 389
Giannelli, S., see Pellegrini-Giampietro, D.E. (149) 297
Giuliani, S., see Maggi, C.A. (149) 393
Glen, K.A., see Sharkey, J. (149) 171
Gniess, A., see Reymann, A. (149) 155
Grima, M., see Velly, J. (149) 97

Hadjiconstantinou, M., Qu, Z.-X., Moroi-Fetters, S.E. and Neff, N.H.
Apparent loss of G_i protein activity in the diabetic retina (149) 193
Hall, R.G., see Olpe, H.-R. (149) 183
Heijna, M.H., see Schoffelmeer, A.N.M. (149) 179
Heynis, J.B., see Boddeke, E.W.G.M. (149) 195
Hibert, M., see Mir, A.K. (149) 107
Hogenboom, F., see Schoffelmeer, A.N.M. (149) 179
Holaday, J.W., see Bryant, H.U. (149) 165
Hugtenburg, J.G., see Boddeke, E.W.G.M. (149) 195

Ignarro, L.J., Buga, G.M. and Chaudhuri, G.
EDRF generation and release from perfused bovine pulmonary artery and vein (149) 79
Imura, H., see Koh, T. (149) 131
Inturrisi, C.E., see Bryant, H.U. (149) 165
Itoh, H., McMaster, D. and Lederis, K.
Functional receptors for fish neuropeptide urotensin II in major rat arteries (149) 61
Iversen, S.D., see Martin-Iverson, M.T. (149) 25

Jap, W.T.J., see Boddeke, E.W.G.M. (149) 195
Jensen, K.T., see Mikkelsen, E.O. (149) 145

Kadokawa, T., see Nakamura, H. (149) 49
Kamo, I., see Kumakura, S. (149) 267
Keeton, T.K., see Pfister, S.L. (149) 377
Kidd, E.J., see Mir, A.K. (149) 107
Kinoshita, F., see Koh, T. (149) 131
Kirschner, B.N., see Bowen, W.D. (149) 399
Kita, A., see Nakamura, H. (149) 49
Koh, T., Nakai, Y., Kinoshita, F. and Imura, H.
Serotonin involvement in the inhibition of luteinizing hormone (LH) release induced by prostaglandin D_2 (PGD_2) in castrated male rats (149) 131
Krishnamoorthy, M.S., see Paul, V. (149) 331
Krulík, R., Slíva, D., Sikora, J., Farská, I. and Fuksová, K.
Tricyclic antidepressant binding to lymphocyte membranes and changes during depression (149) 357
Krulík, R., see Farská, I. (149) 363
Kuhar, M.J., see Sharkey, J. (149) 171
Kulsakdinun, C., see Battaglia, G. (149) 159
Kumakura, S., Kamo, I. and Tsurufuji, S.
Nature of kininase activity in the exudate in kaolin-induced inflammation of the air pouch type in rats (149) 267
Kurstjens, N.P., see Davidson, B. (149) 317

Lacroix, D. and Ferron, A.
Electrophysiological effects of methylphenidate on the coeruleo-cortical noradrenergic system in the rat (149) 277
Lederis, K., see Itoh, H. (149) 61
Lefer, A.M., see Stahl, G.L. (149) 233
Lin, W.C., Yano, S. and Watanabe, K.
Possible involvement of the central GABAergic system in pentobarbital-stimulated gastric acid secretion in the perfused rat stomach preparation (149) 33
Long, J.B.
Spinal subarachnoid injection of somatostatin causes neurological deficits and neuronal injury in rats (149) 287
Long, J.P., see Chatterjee, T.K. (149) 241
Lum, J.T. and Piercey, M.F.
Electrophysiological evidence that spiperone is an antagonist of 5-HT_{1A} receptors in the dorsal raphe nucleus (149) 9

Maggi, C.A., Patacchini, R., Santicioli, P., Giuliani, S., Turini, D., Barbanti, G., Beneforti, P., Misuri, D. and Meli, A.
Specific motor effects of capsaicin on human jejunum (149) 393
Mannelli, M., see Baldi, E. (149) 351
Martin-Iverson, M.T., Iversen, S.D. and Stahl, S.M.
Long-term motor stimulant effects of (+)-4-propyl-9-hy-

droxynaphthoxazine (PHNO), a dopamine D-2 receptor agonist: interactions with a dopamine D-1 receptor antagonist and agonist (149) 25
Martins, M.A., Martins, P.M.R.S., Castro Faria Neto, H.C., Bozza, P.T., Dias, P.M.F.L., Cordeiro, R.S.B. and Vargaftig, B.B.
Intravenous injections of PAF-acether induce platelet aggregation in rats (149) 89
Martins, P.M.R.S., see Martins, M.A. (149) 89
Masliah, J., see Bachelet, M. (149) 73
McMaster, D., see Itoh, H. (149) 61
Meli, A., see Maggi, C.A. (149) 393
Melis, M.R., see Argiolas, A. (149) 389
Memo, M., Missale, C., Trivelli, L. and Spano, P.F.
Acute scopolamine treatment decreases dopamine metabolism in rat hippocampus and frontal cortex (149) 367
Middlemiss, D.N., see Mir, A.K. (149) 107
Mikkelsen, E.O., Nyborg, N.C.B., Jensen, K.T. and Boeck, V.
Comparison of the effect of irindalone, a novel serotonin 5-HT_2 antagonist and ketanserin on mechanical responses of rat thoracic aorta (149) 145
Mir, A.K., Hibert, M., Tricklebank, M.D., Middlemiss, D.N., Kidd, E.J. and Fozard, J.R.
MDL 72832: a potent and stereoselective ligand at central and peripheral 5-HT_{1A} receptors (149) 107
Miranda, F.J., see Torregrosa, G. (149) 17
Missale, C., see Memo, M. (149) 367
Misuri, D., see Maggi, C.A. (149) 393
Molines, A., see Dontenwill, M. (149) 249
Moroi-Fetters, S.E., see Hadjiconstantinou, M. (149) 193
Moroni, F., see Pellegrini-Giampietro, D.E. (149) 297
Mulder, A.H., see Schoffelmeer, A.N.M. (149) 179
Mustafa, S.J., see Nakazawa, M. (149) 345

Nagano, N., Ono, H., Ozawa, M. and Fukuda, H.
The spinal reflex of chronic spinal rats is supersensitive to 5-HTP but not to TRH or 5-HT agonists (149) 337
Nakai, Y., see Koh, T. (149) 131
Nakamura, H., Nakanishi, K., Kita, A. and Kadokawa, T.
Interleukin-1 induces analgesia in mice by a central action (149) 49
Nakanishi, K., see Nakamura, H. (149) 49
Nakazawa, M. and Mustafa, S.J.
Effects of adenosine and calcium entry blockers on 3,4-diaminopyridine-induced rhythmic contractions in dog coronary artery (149) 345
Neff, N.H., see Hadjiconstantinou, M. (149) 193
Newman, A.H., see Bowen, W.D. (149) 399
Nijkamp, F.P., see Van Oosterhout, A.J.M. (149) 191
Nomoto, T., see Uchida, Y. (149) 257
Nyborg, N.C.B., see Mikkelsen, E.O. (149) 145

Olpe, H.-R., Steinmann, M.W., Hall, R.G., Brugger, F. and Pozza, M.F.
$GABA_A$ and $GABA_B$ receptors in locus coeruleus: effects of blockers (149) 183
Ono, H., see Nagano, N. (149) 337
Ozawa, M., see Nagano, N. (149) 337
Palermo-Neto, J., see Frussa-Filho, R. (149) 323
Parashos, S.A., see Barone, P. (149) 225
Pasternak, G.W., see Paul, D. (149) 403
Patacchini, R., see Maggi, C.A. (149) 393
Patton, J., see Davidson, B. (149) 317
Paul, D. and Pasternak, G.W.
Differential blockade by naloxonazine of two μ opiate actions: analgesia and inhibition of gastrointestinal transit (149) 403
Paul, V. and Krishnamoorthy, M.S.
Evidence for synergism between the antimyoclonic actions of 5-hydroxytryptophan and clonazepam in rats (149) 331
Pellegrini-Giampietro, D.E., Ruggiero, M., Giannelli, S., Chiarugi, V.P. and Moroni, F.
Morphine withdrawal in vitro: potentiation of agonist-dependent polyphosphoinositide breakdown (149) 297
Pfister, S.L. and Keeton, T.K.
Angiotensin II contributes to blood pressure maintenance in conscious rats treated with yohimbine (149) 377
Piercey, M.F., see Lum, J.T. (149) 9
Portoghese, P.S., see Takahashi, M. (149) 205
Pozza, M.F., see Olpe, H.-R. (149) 183
Pupilli, C., see Baldi, E. (149) 351

Qu, Z.-X., see Hadjiconstantinou, M. (149) 193
Quintana, A., Raczka, E. and Quintana, M.A.
Effects of indomethacin and diclofenac on cerebral blood flow in hypercapnic conscious rats (149) 385
Quintana, M.A., see Quintana, A. (149) 385

Raczka, E., see Quintana, A. (149) 385
Ramirez, V.D., see Chen, J.-C. (149) 1
Regoli, D., see Devillier, P. (149) 137
Renoux, M., see Devillier, P. (149) 137
Reymann, A. and Gniess, A.
Evidence for adenosine A_1 receptor action in rat jejunal mucosa (149) 155
Rice, K.C., see Bowen, W.D. (149) 399
Rice, K.C., see Schoffelmeer, A.N.M. (149) 179
Rivy, J.-P., see Bénavidès, J. (149) 67
Romero, J.C., see Vidal, M.J. (149) 401
Ruggiero, M., see Pellegrini-Giampietro, D.E. (149) 297

Salom, J.B., see Torregrosa, G. (149) 17
Santicioli, P., see Maggi, C.A. (149) 393
Saunders, J., see Watling, K.J. (149) 397
Savineau, J.-P.
Caffeine does not contract skinned uterine fibers with a functional Ca store (149) 187
Scatton, B., see Bénavidès, J. (149) 67
Scatton, B., see Claustre, Y. (149) 149
Schoffelmeer, A.N.M., Rice, K.C., Heijna, M.H., Hogenboom, F. and Mulder, A.H.
Fentanyl isothiocyanate reveals the existence of physically associated μ- and δ-opioid receptors mediating inhibition of adenylate cyclase in rat neostriatum (149) 179
Schwartz, J., see Velly, J. (149) 97

Schwartz, J.-C., see De la Baume, S. (149) 121
Schwarzberg, H., see Balázs, M. (149) 141
Serra, G., see Argiolas, A. (149) 389
Servin, A.L., Christinaki, H. and Viel, C.
Molecular properties of the papaverine binding sites identified in human colonic membranes with 6,7-dimethoxy-4-(4′-amino,3′-[^{125}I]iodobenzyl)isoquinoline as probe (149) 371
Sharkey, J., Glen, K.A., Wolfe, S. and Kuhar, M.J.
Cocaine binding at σ receptors (149) 171
Sikora, J., see Krulík, R. (149) 357
Silva, N.L. and Bunney, B.S.
Intracellular studies of dopamine neurons in vitro: pacemakers modulated by dopamine (149) 307
Slíva, D., see Farská, I. (149) 363
Slíva, D., see Krulík, R. (149) 357
Smiałowski, A., see Bijak, M. (149) 41
Spano, P.F., see Memo, M. (149) 367
Stahl, G.L., Bitterman, H., Terashita, Z.-i. and Lefer, A.M.
Salutary consequences of blockade of platelet activating factor in hemorrhagic shock (149) 233
Stahl, S.M., see Martin-Iverson, M.T. (149) 25
Starr, M.S., see Fletcher, G.H. (149) 175
Steinmann, M.W., see Olpe, H.-R. (149) 183
Swain, C.J., see Watling, K.J. (149) 397

Takahashi, M., Portoghese, P.S. and Takemori, A.E.
Irreversible binding of [^{3}H]β-funaltrexamine to brain slices of morphine-tolerant and -dependent mice (149) 205
Takemori, A.E., see Takahashi, M. (149) 205
Telegdy, G., see Balázs, M. (149) 141
Terashita, Z.-i., see Stahl, G.L. (149) 233
Terrasa, J.C., see Torregrosa, G. (149) 17
Torregrosa, G., Terrasa, J.C., Salom, J.B., Miranda, F.J., Campos, V. and Alborch, E.
P_1-purinoceptors in the cerebrovascular bed of the goat in vivo (149) 17
Tricklebank, M.D., see Mir, A.K. (149) 107
Trivelli, L., see Memo, M. (149) 367
Tsurufuji, S., see Kumakura, S. (149) 267
Tucci, I., see Barone, P. (149) 225
Tulp, M.T.M., see Wouters, W. (149) 213
Turini, D., see Maggi, C.A. (149) 393

Uchida, Y. and Nomoto, T.
Centrally administered thyrotropin-releasing hormone in the regulation of regional blood flow to brown adipose tissue in rats (149) 257

Valkenburg, P.W., see Van Dongen, C.J. (149) 381
Van Dongen, C.J., Valkenburg, P.W. and Van Helden, H.P.M.
Contribution of de novo synthesis of acetylcholinesterase to spontaneous recovery of neuromuscular transmission following soman intoxication (149) 381
Van Helden, H.P.M., see Van Dongen, C.J. (149) 381
Vanhoutte, P.M., see Vidal, M.J. (149) 401
Van Oosterhout, A.J.M., Woutersen-Van Nijnanten, F.M.A. and Nijkamp, F.P.
Cyclosporin-A prevents endotoxin-induced β-adrenoceptor impairment in lymphocytes (149) 191
Van Zwieten, P.A., see Boddeke, E.W.G.M. (149) 195
Vargaftig, B.B., see Bachelet, M. (149) 73
Vargaftig, B.B., see Martins, M.A. (149) 89
Veldsema-Currie, R.D., see Boddeke, E.W.G.M. (149) 195
Velly, J., Grima, M., Decker, N., Cragoe Jr., E.J. and Schwartz, J.
Effects of amiloride and its analogues on [^{3}H]batrachotoxinin-A 20-α benzoate binding, [^{3}H]tetracaine binding and ^{22}Na influx (149) 97
Vidal, M.J., Romero, J.C. and Vanhoutte, P.M.
Endothelium-derived relaxing factor inhibits renin release (149) 401
Viel, C., see Servin, A.L. (149) 371

Watanabe, K., see Lin, W.C. (149) 33
Watling, K.J., Aspley, S., Swain, C.J. and Saunders, J.
[^{3}H]Quaternised ICS 205-930 labels 5-HT_3 receptor binding sites in rat brain (149) 397
Wilffert, B., see Boddeke, E.W.G.M. (149) 195
Wolfe, S., see Sharkey, J. (149) 171
Wouters, W., Tulp, M.T.M. and Bevan, P.
Flesinoxan lowers blood pressure and heart rate in cats via 5-HT_{1A} receptors (149) 213
Woutersen-Van Nijnanten, F.M.A., see Van Oosterhout, A.J.M. (149) 191

Yano, S., see Lin, W.C. (149) 33
Yoburn, B.C., see Bryant, H.U. (149) 165

European Journal of Pharmacology, 149 (1988) 411–419
Elsevier

KEYWORD INDEX

Acetylcholinesterase activity
Neuromuscular transmission; (De novo synthesis) (Van Dongen, C.J. (149) 381)

Adenosine
P_1-purinoceptors; Cerebral blood flow; 8-Phenyltheophylline (Torregrosa, G. (149) 17)

Small intestine; Intestinal mucosa; cAMP; (Absorption) (Reymann, A. (149) 155)

Ca^{2+} entry blockers; Coronary artery; 3,4-Diaminopyridine; (Phasic contraction) (Nakazawa, M. (149) 345)

Adenylate cyclase
μ Opioid receptors; δ Opioid receptors; Fentanyl isothiocyanate; Dopamine D-1 receptors; Neostriatal slices (Schoffelmeer, A.N.M. (149) 179)

Dopamine; Kidney; (Human) (Baldi, E. (149) 351)

α-Adrenoceptors
Yohimbine; Saralasin; Renin concentration (plasma); Mean arterial pressure (MAP); Norepinephrine concentration (plasma) (Pfister, S.L. (149) 377)

α_2-Adrenoceptors
LON-954; Auerbach's plexus; Vas deferens; Hypothermia; (Rat) (Das, M. (149) 55)

Allylglycine
5-Hydroxytryptophan; Picrotoxin; Myoclonus; Clonazepam (Paul, V. (149) 331)

Amiloride
Amiloride analogues; [^{3}H]BTX-B binding; [^{3}H]Tetracaine binding; ^{22}Na influx (Velly, J. (149) 97)

Amiloride analogues
Amiloride; [^{3}H]BTX-B binding; [^{3}H]Tetracaine binding; ^{22}Na influx (Velly, J. (149) 97)

cAMP
Macrophages (alveolar); PAF-acether (Bachelet, M. (149) 73)

Adenosine; Small intestine; Intestinal mucosa; (Absorption) (Reymann, A. (149) 155)

Amphetamine
3,4-Methylenedioxymethamphetamine (MDMA); 3,4-Methylenedioxyamphetamine (MDA); N-Ethylmethylenedioxyamphetamine (MDE); Receptors; Uptake sites (Battaglia, G. (149) 159)

Analgesic effects
Interleukin-1; Interferon; Tumor necrosis factor; Lipopolysaccharide (Nakamura, H. (149) 49)

Antidepressants
Citalopram; Dopamine; SKF 38393; LY 171555; Hippocampus (Bijak, M. (149) 41)

Antihypertensive compounds
Flesinoxan; 5-HT_{1A} receptor agonists; (Cat) (Wouters, W. (149) 213)

Apomorphine
[^{3}H]Dopamine release; Dopamine autoreceptors; Fatty acids; Caudate nucleus; (Cat) (Davidson, B. (149) 317)

Arteries
^{125}I-Urotensin II; (Binding, Rat) (Itoh, H. (149) 61)

Auerbach's plexus
LON-954; α_2-Adrenoceptors; Vas deferens; Hypothermia; (Rat) (Das, M. (149) 55)

Baclofen
GABA; Muscimol; Phaclofen; Bicuculline; Locus coeruleus (Olpe, H.-R. (149) 183)

Benzyl-isoquinolines
Papaverine; Intestine; Photoaffinity labeling; (Binding sites, Human) (Servin, A.L. (149) 371)

Bepridil
CERM 11956; Ischaemia (global) (Boddeke, E.W.G.M. (149) 195)

Bicuculline
Somatostatin; Self-stimulation; Haloperidol; Phenoxybenzamine; Propranolol (Balázs, M. (149) 141)

GABA; Muscimol; Baclofen; Phaclofen; Locus coeruleus (Olpe, H.-R. (149) 183)

0014-2999/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Blood flow
Brown adipose tissue; Thyrotropin-releasing hormone (TRH) (Uchida, Y. (149) 257)

Blood levels
Morphine (chronic); Spleen; Thymus; Mitogens; (Mouse) (Bryant, H.U. (149) 165)

Blood pressure (mean arterial)
PAF receptor antagonism; Cathepsin D activity (plasma); Myocardial depressant factor (MDF); (Plasma proteolysis) (Stahl, G.L. (149) 233)

BN 52021
Platelet-activating factor (PAF-acether); Thrombocytopenia; 48740 RP; WEB 2086; (Desensitization) (Martins, M.A. (149) 89)

Bradykinin
Kininases; Inflammation (Kumakura, S. (149) 267)

Bradykinin receptors
Histamine; Kinin antagonists; Mast cells (peritoneal) (Devillier, P. (149) 137)

Brain
[^{3}H]TCP (N-(1-[2-thienyl]-cyclohexyl-3,4-[^{3}H]piperidine); NMDA receptor; Glycine; L-Glutamate; (Rat) (Bénavidès, J. (149) 67)

Brown adipose tissue
Blood flow; Thyrotropin-releasing hormone (TRH) (Uchida, Y. (149) 257)

[^{3}H]BTX-B binding
Amiloride; Amiloride analogues; [^{3}H]Tetracaine binding; ^{22}Na influx (Velly, J. (149) 97)

Buspirone
Spiperone; 8-OH-DPAT; Dorsal raphe; Serotonin (5-HT); (Electrophysiology) (Lum, J.T. (149) 9)

Ca^{2+}
Morphine withdrawal; Cortical slices; Noradrenaline release; Phospholipase C; Inositol phospholipids (Pellegrini-Giampietro, D.E. (149) 297)

Ca^{2+} entry blockers
Adenosine; Coronary artery; 3,4-Diaminopyridine; (Phasic contraction) (Nakazawa, M. (149) 345)

Caffeine
Inositol triphosphate; Smooth muscle (uterine); Myometrium; (Skinned fibers, Rat) (Savineau, J.-P. (149) 187)

Calcitonin gene-related peptide (CGRP)
Capsaicin; Substance P; Neurokinin A; Jejunum; (Motility, Human) (Maggi, C.A. (149) 393)

Capsaicin
Substance P; Neurokinin A; Calcitonin gene-related peptide (CGRP); Jejunum; (Motility, Human) (Maggi, C.A. (149) 393)

Carbachol
5-HT_{1A} receptors; Phosphatidylinositol; Metabolism; Hippocampus; (Rat) (Claustre, Y. (149) 149)

Cardiovascular system
MDL 72832; 5-HT_{1A} receptors; Interoceptive cue; Guinea-pig ileum; 8-OH-DPAT; (Stereoselectivity, Agonist, Antagonist, Behaviour, Rat) (Mir, A.K. (149) 107)

Catalepsy
SCH 23390; Dopamine D-1 receptor antagonists; Corpus striatum; (Stereotaxic injection, Topography) (Fletcher, G.H. (149) 175)

Catecholamines
Imidazolines; Clonidine; Clonidine displacing substance; (Antibodies) (Dontenwill, M. (149) 249)

Cathepsin D activity (plasma)
PAF receptor antagonism; Myocardial depressant factor (MDF); Blood pressure (mean arterial); (Plasma proteolysis) (Stahl, G.L. (149) 233)

Caudate nucleus
[^{3}H]Dopamine release; Dopamine autoreceptors; Fatty acids; Apomorphine; (Cat) (Davidson, B. (149) 317)

Cerebral blood flow
P_1-purinoceptors; 8-Phenyltheophylline; Adenosine (Torregrosa, G. (149) 17)

Hypercapnia; Indomethacin; Diclofenac (Quintana, A. (149) 385)

CERM 11956
Bepridil; Ischaemia (global) (Boddeke, E.W.G.M. (149) 195)

Cholecystokinin
Enkephalinase (EC 3.4.24.11); Enkephalinase inhibitors; Metalloendopeptidase (neutral); Enkephalins; Dipeptides (De la Baume, S. (149) 121)

Choline uptake
[^{3}H]Hemicholinium-3 binding; Hemicholinium-3 analogs; Synaptosomes (Chatterjee, T.K. (149) 241)

d(CH_2)$_5$Tyr(Me)-Orn^8-vasotocin
Oxytocin antagonists; Copulatory behaviour; (Rat) (Argiolas, A. (149) 389)

Citalopram
Antidepressants; Dopamine; SKF 38393; LY 171555; Hippocampus (Bijak, M. (149) 41)

Clonazepam
5-Hydroxytryptophan; Picrotoxin; Allylglycine; Myoclonus (Paul, V. (149) 331)

Clonidine
Imidazolines; Catecholamines; Clonidine displacing substance; (Antibodies) (Dontenwill, M. (149) 249)

Clonidine displacing substance
Imidazolines; Catecholamines; Clonidine; (Antibodies) (Dontenwill, M. (149) 249)

Cocaine
Haloperidol; Psychosis; (Reinforcement) (Sharkey, J. (149) 171)

Copulatory behaviour
$d(CH_2)_5Tyr(Me)$-Orn^8-vasotocin; Oxytocin antagonists; (Rat) (Argiolas, A. (149) 389)

Coronary artery
Adenosine; Ca^{2+} entry blockers; 3,4-Diaminopyridine; (Phasic contraction) (Nakazawa, M. (149) 345)

Corpus striatum
SCH 23390; Dopamine D-1 receptor antagonists; Catalepsy; (Stereotaxic injection, Topography) (Fletcher, G.H. (149) 175)

Corpus striatum (dorsal / ventral)
Prolactin; Dopamine; Tetrodotoxin; [Leu^5]enkephalin; Hypothalamus (mediobasal) (Chen, J.-C. (149) 1)

Cortex (cerebral)
Methylphenidate; Noradrenaline; Locus coeruleus (Lacroix, D. (149) 277)

Cortical slices
Morphine withdrawal; Noradrenaline release; Phospholipase C; Inositol phospholipids; Ca^{2+} (Pellegrini-Giampietro, D.E. (149) 297)

Desipramine
Stress; Imipramine; (Uptake, Binding) (Farská, I. (149) 363)

[^{3}H]Desmethylimipramine binding
[^{3}H]Imipramine binding; Lymphocytes; (Depression) (Krulík, R. (149) 357)

3,4-Diaminopyridine
Adenosine; Ca^{2+} entry blockers; Coronary artery; (Phasic contraction) (Nakazawa, M. (149) 345)

Diclofenac
Cerebral blood flow; Hypercapnia; Indomethacin (Quintana, A. (149) 385)

Dipeptides
Enkephalinase (EC 3.4.24.11); Enkephalinase inhibitors; Metalloendopeptidase (neutral); Enkephalins; Cholecystokinin (De la Baume, S. (149) 121)

Dopamine
Prolactin; Corpus striatum (dorsal/ventral); Tetrodotoxin; [Leu^5]enkephalin; Hypothalamus (mediobasal) (Chen, J.-C. (149) 1)

Antidepressants; Citalopram; SKF 38393; LY 171555; Hippocampus (Bijak, M. (149) 41)

Substantia nigra; Pacemaker activity; Dopamine neurons; (Intracellular recording, Brain slice) (Silva, N.L. (149) 307)

Adenylate cyclase; Kidney; (Human) (Baldi, E. (149) 351)

Scopolamine; Mesolimbic-cortical system; Meso-striatal system (Memo, M. (149) 367)

Dopamine autoreceptors
[^{3}H]Dopamine release; Fatty acids; Apomorphine; Caudate nucleus; (Cat) (Davidson, B. (149) 317)

Dopamine D-1 receptor antagonists
SCH 23390; Catalepsy; Corpus striatum; (Stereotaxic injection, Topography) (Fletcher, G.H. (149) 175)

Dopamine D-1 receptors
μ Opioid receptors; δ Opioid receptors; Adenylate cyclase; Fentanyl isothiocyanate; Neostriatal slices (Schoffelmeer, A.N.M. (149) 179)

Dopamine neurons
Dopamine; Substantia nigra; Pacemaker activity; (Intracellular recording, Brain slice) (Silva, N.L. (149) 307)

Dopamine receptors
SCH 23390; (Supersensitivity, Subsensitivity, Chronic treatment) (Barone, P. (149) 225)

Dopamine receptor subtypes
Locomotor acitivity; PHNO ((+)-4-propyl-9-hydroxynaphthoxazine); (Tolerance, Sensitization) (Martin-Iverson, M.T. (149) 25)

[^{3}H]Dopamine release
Dopamine autoreceptors; Fatty acids; Apomorphine; Caudate nucleus; (Cat) (Davidson, B. (149) 317)

Dopaminergic supersensitivity
Metoclopramide; Open field; Drug withdrawal; Stereotypy; (General activity) (Frussa-Filho, R. (149) 323)

Dorsal raphe
Spiperone; Buspirone; 8-OH-DPAT; Serotonin (5-HT); (Electrophysiology) (Lum, J.T. (149) 9)

Drug withdrawal
Metoclopramide; Dopaminergic supersensitivity; Open field; Stereotypy; (General activity) (Frussa-Filho, R. (149) 323)

Endothelium
Vasodilation; cGMP; Hemoglobin; Methylene blue (Ignarro, L.J. (149) 79)

Enkephalinase (EC 3.4.24.11)
Enkephalinase inhibitors; Metalloendopeptidase (neutral); Enkephalins; Cholecystokinin; Dipeptides (De la Baume, S. (149) 121)

Enkephalinase inhibitors
Enkephalinase (EC 3.4.24.11); Metalloendopeptidase (neutral); Enkephalins; Cholecystokinin; Dipeptides (De la Baume, S. (149) 121)

Enkephalins
Enkephalinase (EC 3.4.24.11); Enkephalinase inhibitors; Metalloendopeptidase (neutral); Cholecystokinin; Dipeptides (De la Baume, S. (149) 121)

N-Ethylmethylenedioxyamphetamine (MDE)
3,4-Methylenedioxymethamphetamine (MDMA); 3,4-Methylenedioxyamphetamine (MDA); Amphetamine; Receptors; Uptake sites (Battaglia, G. (149) 159)

Fatty acids
[^{3}H]Dopamine release; Dopamine autoreceptors; Apomorphine; Caudate nucleus; (Cat) (Davidson, B. (149) 317)

Fentanyl isothiocyanate
μ Opioid receptors; δ Opioid receptors; Adenylate cyclase; Dopamine D-1 receptors; Neostriatal slices (Schoffelmeer, A.N.M. (149) 179)

Flesinoxan
Antihypertensive compounds; 5-HT_{1A} receptor agonists; (Cat) (Wouters, W. (149) 213)

β-Funaltrexamine
μ Opioid receptors; Striatum; Ventral tegmental area; Morphine; (Tolerance, Dependence, Slices) (Takahashi, M. (149) 205)

GABA
Muscimol; Baclofen; Phaclofen; Bicuculline; Locus coeruleus (Olpe, H.-R. (149) 183)

GABAergic systems
Gastric acid secretion; Pentobarbital (Lin, W.C. (149) 33)

Gastric acid secretion
Pentobarbital; GABAergic systems (Lin, W.C. (149) 33)

L-Glutamate
[^{3}H]TCP (N-(1-[2-thienyl]-cyclohexyl-3,4-[^{3}H]piperidine); NMDA receptor; Glycine; Brain; (Rat) (Bénavidès, J. (149) 67)

Glycine
[^{3}H]TCP (N-(1-[2-thienyl]-cyclohexyl-3,4-[^{3}H]piperidine); NMDA receptor; L-Glutamate; Brain; (Rat) (Bénavidès, J. (149) 67)

cGMP
Vasodilation; Endothelium; Hemoglobin; Methylene blue (Ignarro, L.J. (149) 79)

Guinea-pig ileum
MDL 72832; 5-HT_{1A} receptors; Cardiovascular system; Interoceptive cue; 8-OH-DPAT; (Stereoselectivity, Agonist, Antagonist, Behaviour, Rat) (Mir, A.K. (149) 107)

Haloperidol
Somatostatin; Self-stimulation; Bicuculline; Phenoxybenzamine; Propranolol (Balázs, M. (149) 141)

Cocaine; Psychosis; (Reinforcement) (Sharkey, J. (149) 171)

Hemicholinium-3 analogs
[^{3}H]Hemicholinium-3 binding; Choline uptake; Synaptosomes (Chatterjee, T.K. (149) 241)

Hemoglobin
Vasodilation; Endothelium; cGMP; Methylene blue (Ignarro, L.J. (149) 79)

[^{3}H]Hemicholinium-3 binding
Choline uptake; Hemicholinium-3 analogs; Synaptosomes (Chatterjee, T.K. (149) 241)

Hippocampus
Antidepressants; Citalopram; Dopamine; SKF 38393; LY 171555 (Bijak, M. (149) 41)

5-HT_{1A} receptors; Phosphatidylinositol; Metabolism; Carbachol; (Rat) (Claustre, Y. (149) 149)

Histamine
Kinin antagonists; Mast cells (peritoneal); Bradykinin receptors (Devillier, P. (149) 137)

5-HT_{1A} receptor agonists
Flesinoxan; Antihypertensive compounds; (Cat) (Wouters, W. (149) 213)

5-HT_2 receptor antagonists
Irindalone; Ketanserin; Thoracic aorta; (Isometric tension, Rat) (Mikkelsen, E.O. (149) 145)

5-HT_{1A} receptors
MDL 72832; Cardiovascular system; Interoceptive cue; Guinea-pig ileum; 8-OH-DPAT; (Stereoselectivity, Agonist, Antagonist, Behaviour, Rat) (Mir, A.K. (149) 107)

Phosphatidylinositol; Metabolism; Hippocampus; Carbachol; (Rat) (Claustre, Y. (149) 149)

5-Hydroxytryptophan
Picrotoxin; Allylglycine; Myoclonus; Clonazepam (Paul, V. (149) 331)

Hypercapnia
Cerebral blood flow; Indomethacin; Diclofenac (Quintana, A. (149) 385)

Hypothalamus (mediobasal)
Prolactin; Dopamine; Corpus striatum (dorsal/ventral); Tetrodotoxin; [Leu^5]enkephalin (Chen, J.-C. (149) 1)

Hypothermia
LON-954; α_2-Adrenoceptors; Auerbach's plexus; Vas deferens; (Rat) (Das, M. (149) 55)

Imidazolines
Catecholamines; Clonidine; Clonidine displacing substance; (Antibodies) (Dontenwill, M. (149) 249)

Imipramine
Stress; Desipramine; (Uptake, Binding) (Farská, I. (149) 363)

[^{3}H]Imipramine binding
[^{3}H]Desmethylimipramine binding; Lymphocytes; (Depression) (Krulík, R. (149) 357)

Indomethacin
Cerebral blood flow; Hypercapnia; Diclofenac (Quintana, A. (149) 385)

Inflammation
Kininases; Bradykinin (Kumakura, S. (149) 267)

Inositol phospholipids
Morphine withdrawal; Cortical slices; Noradrenaline release; Phospholipase C; Ca^{2+} (Pellegrini-Giampietro, D.E. (149) 297)

Inositol triphosphate
Caffeine; Smooth muscle (uterine); Myometrium; (Skinned fibers, Rat) (Savineau, J.-P. (149) 187)

Interferon
Interleukin-1; Tumor necrosis factor; Lipopolysaccharide; Analgesic effects (Nakamura, H. (149) 49)

Interleukin-1
Interferon; Tumor necrosis factor; Lipopolysaccharide; Analgesic effects (Nakamura, H. (149) 49)

Interoceptive cue
MDL 72832; 5-HT_{1A} receptors; Cardiovascular system; Guinea-pig ileum; 8-OH-DPAT; (Stereoselectivity, Agonist, Antagonist, Behaviour, Rat) (Mir, A.K. (149) 107)

Intestinal mucosa
Adenosine; Small intestine; cAMP; (Absorption) (Reymann, A. (149) 155)

Intestine
Papaverine; Photoaffinity labeling; Benzyl-isoquinolines; (Binding sites, Human) (Servin, A.L. (149) 371)

Irindalone
Ketanserin; Thoracic aorta; 5-HT_2 receptor antagonists; (Isometric tension, Rat) (Mikkelsen, E.O. (149) 145)

Ischaemia (global)
Bepridil; CERM 11956 (Boddeke, E.W.G.M. (149) 195)

Jejunum
Capsaicin; Substance P; Neurokinin A; Calcitonin gene-related peptide (CGRP); (Motility, Human) (Maggi, C.A. (149) 393)

Ketanserin
Irindalone; Thoracic aorta; 5-HT_2 receptor antagonists; (Isometric tension, Rat) (Mikkelsen, E.O. (149) 145)

Kidney
Dopamine; Adenylate cyclase; (Human) (Baldi, E. (149) 351)

Kinin antagonists
Histamine; Mast cells (peritoneal); Bradykinin receptors (Devillier, P. (149) 137)

Kininases
Bradykinin; Inflammation (Kumakura, S. (149) 267)

[Leu^5]enkephalin
Prolactin; Dopamine; Corpus striatum (dorsal/ventral); Tetrodotoxin; Hypothalamus (mediobasal) (Chen, J.-C. (149) 1)

Lipopolysaccharide
Interleukin-1; Interferon; Tumor necrosis factor; Analgesic effects (Nakamura, H. (149) 49)

Locomotor acitivity
Dopamine receptor subtypes; PHNO ((+)-4-propyl-9-hydroxynaphthoxazine); (Tolerance, Sensitization) (Martin-Iverson, M.T. (149) 25)

Locus coeruleus
GABA; Muscimol; Baclofen; Phaclofen; Bicuculline (Olpe, H.-R. (149) 183)

Methylphenidate; Noradrenaline; Cortex (cerebral) (Lacroix, D. (149) 277)

LON-954
α_2-Adrenoceptors; Auerbach's plexus; Vas deferens; Hypothermia; (Rat) (Das, M. (149) 55)

Luteinizing hormone suppression
Prostaglandin D_2; Serotonin depletors (Koh, T. (149) 131)

LY 171555
Antidepressants; Citalopram; Dopamine; SKF 38393; Hippocampus (Bijak, M. (149) 41)

Lymphocytes
[^{3}H]Imipramine binding; [^{3}H]Desmethylimipramine binding; (Depression) (Krulík, R. (149) 357)

Macrophages (alveolar)
PAF-acether; cAMP (Bachelet, M. (149) 73)

Mast cells (peritoneal)
Histamine; Kinin antagonists; Bradykinin receptors (Devillier, P. (149) 137)

MDL 72832
5-HT_{1A} receptors; Cardiovascular system; Interoceptive cue; Guinea-pig ileum; 8-OH-DPAT; (Stereoselectivity, Agonist, Antagonist, Behaviour, Rat) (Mir, A.K. (149) 107)

Mean arterial pressure (MAP)
Yohimbine; Saralasin; Renin concentration (plasma); Norepinephrine concentration (plasma); α-Adrenoceptors (Pfister, S.L. (149) 377)

Mesolimbic-cortical system
Scopolamine; Dopamine; Meso-striatal system (Memo, M. (149) 367)

Meso-striatal system
Scopolamine; Dopamine; Mesolimbic-cortical system (Memo, M. (149) 367)

Metabolism
5-HT_{1A} receptors; Phosphatidylinositol; Hippocampus; Carbachol; (Rat) (Claustre, Y. (149) 149)

Metalloendopeptidase (neutral)
Enkephalinase (EC 3.4.24.11); Enkephalinase inhibitors; Enkephalins; Cholecystokinin; Dipeptides (De la Baume, S. (149) 121)

Methylene blue
Vasodilation; Endothelium; cGMP; Hemoglobin (Ignarro, L.J. (149) 79)

3,4-Methylenedioxyamphetamine (MDA)
3,4-Methylenedioxymethamphetamine (MDMA); N-Ethylmethylenedioxyamphetamine (MDE); Amphetamine; Receptors; Uptake sites (Battaglia, G. (149) 159)

3,4-Methylenedioxymethamphetamine (MDMA)
3,4-Methylenedioxyamphetamine (MDA); N-Ethylmethylenedioxyamphetamine (MDE); Amphetamine; Receptors; Uptake sites (Battaglia, G. (149) 159)

Methylphenidate
Noradrenaline; Cortex (cerebral); Locus coeruleus (Lacroix, D. (149) 277)

Metoclopramide
Dopaminergic supersensitivity; Open field; Drug withdrawal; Stereotypy; (General activity) (Frussa-Filho, R. (149) 323)

Mitogens
Morphine (chronic); Blood levels; Spleen; Thymus; (Mouse) (Bryant, H.U. (149) 165)

Morphine
β-Funaltrexamine; μ Opioid receptors; Striatum; Ventral tegmental area; (Tolerance, Dependence, Slices) (Takahashi, M. (149) 205)

Morphine (chronic)
Blood levels; Spleen; Thymus; Mitogens; (Mouse) (Bryant, H.U. (149) 165)

Morphine withdrawal
Cortical slices; Noradrenaline release; Phospholipase C; Inositol phospholipids; Ca^{2+} (Pellegrini-Giampietro, D.E. (149) 297)

Muscimol
GABA; Baclofen; Phaclofen; Bicuculline; Locus coeruleus (Olpe, H.-R. (149) 183)

Myocardial depressant factor (MDF)
PAF receptor antagonism; Cathepsin D activity (plasma); Blood pressure (mean arterial); (Plasma proteolysis) (Stahl, G.L. (149) 233)

Myoclonus
5-Hydroxytryptophan; Picrotoxin; Allylglycine; Clonazepam (Paul, V. (149) 331)

Myometrium
Caffeine; Inositol triphosphate; Smooth muscle (uterine); (Skinned fibers, Rat) (Savineau, J.-P. (149) 187)

^{22}Na influx
Amiloride; Amiloride analogues; [^{3}H]BTX-B binding; [^{3}H]Tetracaine binding (Velly, J. (149) 97)

Neostriatal slices
μ Opioid receptors; δ Opioid receptors; Adenylate cyclase; Fentanyl isothiocyanate; Dopamine D-1 receptors (Schoffelmeer, A.N.M. (149) 179)

Neurokinin A
Capsaicin; Substance P; Calcitonin gene-related peptide (CGRP); Jejunum; (Motility, Human) (Maggi, C.A. (149) 393)

Neuromuscular transmission
Acetylcholinesterase activity; (De novo synthesis) (Van Dongen, C.J. (149) 381)

NMDA receptor
[^{3}H]TCP (N-(1-[2-thienyl]-cyclohexyl-3,4-[^{3}H]piperidine); Glycine; L-Glutamate; Brain; (Rat) (Bénavidès, J. (149) 67)

Noradrenaline
Methylphenidate; Cortex (cerebral); Locus coeruleus (Lacroix, D. (149) 277)

Noradrenaline release
Morphine withdrawal; Cortical slices; Phospholipase C; Inositol phospholipids; Ca^{2+} (Pellegrini-Giampietro, D.E. (149) 297)

Norepinephrine concentration (plasma)
Yohimbine; Saralasin; Renin concentration (plasma); Mean arterial pressure (MAP); α-Adrenoceptors (Pfister, S.L. (149) 377)

8-OH-DPAT
Spiperone; Buspirone; Dorsal raphe; Serotonin (5-HT); (Electrophysiology) (Lum, J.T. (149) 9)

MDL 72832; $5\text{-}HT_{1A}$ receptors; Cardiovascular system; Interoceptive cue; Guinea-pig ileum; (Stereoselectivity, Agonist, Antagonist, Behaviour, Rat) (Mir, A.K. (149) 107)

Open field
Metoclopramide; Dopaminergic supersensitivity; Drug withdrawal; Stereotypy; (General activity) (Frussa-Filho, R. (149) 323)

δ Opioid receptors
μ Opioid receptors; Adenylate cyclase; Fentanyl isothiocyanate; Dopamine D-1 receptors; Neostriatal slices (Schoffelmeer, A.N.M. (149) 179)

μ Opioid receptors
δ Opioid receptors; Adenylate cyclase; Fentanyl isothiocyanate; Dopamine D-1 receptors; Neostriatal slices (Schoffelmeer, A.N.M. (149) 179)

β-Funaltrexamine; Striatum; Ventral tegmental area; Morphine; (Tolerance, Dependence, Slices) (Takahashi, M. (149) 205)

Oxytocin antagonists
$d(CH_2)_5Tyr(Me)\text{-}Orn^8$-vasotocin; Copulatory behaviour; (Rat) (Argiolas, A. (149) 389)

Pacemaker activity
Dopamine; Substantia nigra; Dopamine neurons; (Intracellular recording, Brain slice) (Silva, N.L. (149) 307)

PAF-acether
Macrophages (alveolar); cAMP (Bachelet, M. (149) 73)

PAF receptor antagonism
Cathepsin D activity (plasma); Myocardial depressant factor (MDF); Blood pressure (mean arterial); (Plasma proteolysis) (Stahl, G.L. (149) 233)

Papaverine
Intestine; Photoaffinity labeling; Benzyl-isoquinolines; (Binding sites, Human) (Servin, A.L. (149) 371)

Paralysis
Somatostatin; Somatostatin receptors; Spinal cord; (Injury, Intrathecal) (Long, J.B. (149) 287)

Pentobarbital
Gastric acid secretion; GABAergic systems (Lin, W.C. (149) 33)

Phaclofen
GABA; Muscimol; Baclofen; Bicuculline; Locus coeruleus (Olpe, H.-R. (149) 183)

Phenoxybenzamine
Somatostatin; Self-stimulation; Haloperidol; Bicuculline; Propranolol (Balázs, M. (149) 141)

8-Phenyltheophylline
P_1-purinoceptors; Cerebral blood flow; Adenosine (Torregrosa, G. (149) 17)

PHNO ((+)-4-propyl-9-hydroxynaphthoxazine)
Dopamine receptor subtypes; Locomotor acitivity; (Tolerance, Sensitization) (Martin-Iverson, M.T. (149) 25)

Phosphatidylinositol
$5\text{-}HT_{1A}$ receptors; Metabolism; Hippocampus; Carbachol; (Rat) (Claustre, Y. (149) 149)

Phospholipase C
Morphine withdrawal; Cortical slices; Noradrenaline release; Inositol phospholipids; Ca^{2+} (Pellegrini-Giampietro, D.E. (149) 297)

Photoaffinity labeling
Papaverine; Intestine; Benzyl-isoquinolines; (Binding sites, Human) (Servin, A.L. (149) 371)

Picrotoxin
5-Hydroxytryptophan; Allylglycine; Myoclonus; Clonazepam (Paul, V. (149) 331)

Platelet-activating factor (PAF-acether)
Thrombocytopenia; BN 52021; 48740 RP; WEB 2086; (Desensitization) (Martins, M.A. (149) 89)

P_1-purinoceptors
Cerebral blood flow; 8-Phenyltheophylline; Adenosine (Torregrosa, G. (149) 17)

Prolactin
Dopamine; Corpus striatum (dorsal/ventral); Tetrodotoxin; $[Leu^5]$enkephalin; Hypothalamus (mediobasal) (Chen, J.-C. (149) 1)

Propranolol
Somatostatin; Self-stimulation; Haloperidol; Bicuculline; Phenoxybenzamine (Balázs, M. (149) 141)

Prostaglandin D_2
Luteinizing hormone suppression; Serotonin depletors (Koh, T. (149) 131)

Psychosis
Cocaine; Haloperidol; (Reinforcement) (Sharkey, J. (149) 171)

Receptors
3,4-Methylenedioxymethamphetamine (MDMA); 3,4-Methylenedioxyamphetamine (MDA); N-Ethylmethylenedioxyamphetamine (MDE); Amphetamine; Uptake sites (Battaglia, G. (149) 159)

Renin concentration (plasma)
Yohimbine; Saralasin; Mean arterial pressure (MAP); Norepinephrine concentration (plasma); α-Adrenoceptors (Pfister, S.L. (149) 377)

48740 RP
Platelet-activating factor (PAF-acether); Thrombocytopenia; BN 52021; WEB 2086; (Desensitization) (Martins, M.A. (149) 89)

Saralasin
Yohimbine; Renin concentration (plasma); Mean arterial pressure (MAP); Norepinephrine concentration (plasma); α-Adrenoceptors (Pfister, S.L. (149) 377)

SCH 23390
Dopamine D-1 receptor antagonists; Catalepsy; Corpus striatum; (Stereotaxic injection, Topography) (Fletcher, G.H. (149) 175)

Dopamine receptors; (Supersensitivity, Subsensitivity, Chronic treatment) (Barone, P. (149) 225)

Scopolamine
Dopamine; Mesolimbic-cortical system; Meso-striatal system (Memo, M. (149) 367)

Self-stimulation
Somatostatin; Haloperidol; Bicuculline; Phenoxybenzamine; Propranolol (Balázs, M. (149) 141)

Serotonin depletors
Prostaglandin D_2; Luteinizing hormone suppression (Koh, T. (149) 131)

Serotonin (5-HT)
Spiperone; Buspirone; 8-OH-DPAT; Dorsal raphe; (Electrophysiology) (Lum, J.T. (149) 9)

TRH; Spinal reflex; (Supersensitivity, Chronic spinal rat) (Nagano, N. (149) 337)

SKF 38393
Antidepressants; Citalopram; Dopamine; LY 171555; Hippocampus (Bijak, M. (149) 41)

Small intestine
Adenosine; Intestinal mucosa; cAMP; (Absorption) (Reymann, A. (149) 155)

Smooth muscle (uterine)
Caffeine; Inositol triphosphate; Myometrium; (Skinned fibers, Rat) (Savineau, J.-P. (149) 187)

Somatostatin
Self-stimulation; Haloperidol; Bicuculline; Phenoxybenzamine; Propranolol (Balázs, M. (149) 141)

Somatostatin receptors; Spinal cord; Paralysis; (Injury, Intrathecal) (Long, J.B. (149) 287)

Somatostatin receptors
Somatostatin; Spinal cord; Paralysis; (Injury, Intrathecal) (Long, J.B. (149) 287)

Spinal cord
Somatostatin; Somatostatin receptors; Paralysis; (Injury, Intrathecal) (Long, J.B. (149) 287)

Spinal reflex
Serotonin (5-HT); TRH; (Supersensitivity, Chronic spinal rat) (Nagano, N. (149) 337)

Spiperone
Buspirone; 8-OH-DPAT; Dorsal raphe; Serotonin (5-HT); (Electrophysiology) (Lum, J.T. (149) 9)

Spleen
Morphine (chronic); Blood levels; Thymus; Mitogens; (Mouse) (Bryant, H.U. (149) 165)

Stereotypy
Metoclopramide; Dopaminergic supersensitivity; Open field; Drug withdrawal; (General activity) (Frussa-Filho, R. (149) 323)

Stress
Imipramine; Desipramine; (Uptake, Binding) (Farská, I. (149) 363)

Striatum
β-Funaltrexamine; μ Opioid receptors; Ventral tegmental area; Morphine; (Tolerance, Dependence, Slices) (Takahashi, M. (149) 205)

Substance P
Capsaicin; Neurokinin A; Calcitonin gene-related peptide (CGRP); Jejunum; (Motility, Human) (Maggi, C.A. (149) 393)

Substantia nigra
Dopamine; Pacemaker activity; Dopamine neurons; (Intracellular recording, Brain slice) (Silva, N.L. (149) 307)

Synaptosomes
[^{3}H]Hemicholinium-3 binding; Choline uptake; Hemicholinium-3 analogs (Chatterjee, T.K. (149) 241)

[^{3}H]TCP (N-(1-[2-thienyl]-cyclohexyl-3,4-[^{3}H]piperidine)
NMDA receptor; Glycine; L-Glutamate; Brain; (Rat) (Bénavidès, J. (149) 67)

[^{3}H]Tetracaine binding
Amiloride; Amiloride analogues; [^{3}H]BTX-B binding; ^{22}Na influx (Velly, J. (149) 97)

Tetrodotoxin
Prolactin; Dopamine; Corpus striatum (dorsal/ventral); [Leu^5]enkephalin; Hypothalamus (mediobasal) (Chen, J.-C. (149) 1)

Thoracic aorta
Irindalone; Ketanserin; 5-HT$_2$ receptor antagonists; (Isometric tension, Rat) (Mikkelsen, E.O. (149) 145)

Thrombocytopenia
Platelet-activating factor (PAF-acether); BN 52021; 48740 RP; WEB 2086; (Desensitization) (Martins, M.A. (149) 89)

Thymus
Morphine (chronic); Blood levels; Spleen; Mitogens; (Mouse) (Bryant, H.U. (149) 165)

Thyrotropin-releasing hormone (TRH)
Brown adipose tissue; Blood flow (Uchida, Y. (149) 257)

TRH
Serotonin (5-HT); Spinal reflex; (Supersensitivity, Chronic spinal rat) (Nagano, N. (149) 337)

Tumor necrosis factor
Interleukin-1; Interferon; Lipopolysaccharide; Analgesic effects (Nakamura, H. (149) 49)

Uptake sites
3,4-Methylenedioxymethamphetamine (MDMA); 3,4-Methylenedioxyamphetamine (MDA); N-Ethylmethylenedioxyamphetamine (MDE); Amphetamine; Receptors (Battaglia, G. (149) 159)

^{125}I-Urotensin II
Arteries; (Binding, Rat) (Itoh, H. (149) 61)

Vas deferens
LON-954; α_2-Adrenoceptors; Auerbach's plexus; Hypothermia; (Rat) (Das, M. (149) 55)

Vasodilation
Endothelium; cGMP; Hemoglobin; Methylene blue (Ignarro, L.J. (149) 79)

Ventral tegmental area
β-Funaltrexamine; μ Opioid receptors; Striatum; Morphine; (Tolerance, Dependence, Slices) (Takahashi, M. (149) 205)

WEB 2086
Platelet-activating factor (PAF-acether); Thrombocytopenia; BN 52021; 48740 RP; (Desensitization) (Martins, M.A. (149) 89)

Yohimbine
Saralasin; Renin concentration (plasma); Mean arterial pressure (MAP); Norepinephrine concentration (plasma); α-Adrenoceptors (Pfister, S.L. (149) 377)

Contents continued

Contribution of de novo synthesis of acetylcholinesterase to spontaneous recovery of neuromuscular transmission following soman intoxication (EJP 20127)
C.J. Van Dongen, P.W. Valkenburg and H.P.M. Van Helden 381

Effects of indomethacin and diclofenac on cerebral blood flow in hypercapnic conscious rats (EJP 20128)
A. Quintana, E. Raczka and M.A. Quintana 385

The oxytocin antagonist d(CH$_2$)$_5$Tyr(Me)-Orn^8-vasotocin inhibits male copulatory behaviour in rats (EJP 20129)
A. Argiolas, M. Collu, G.L. Gessa, M.R. Melis and G. Serra 389

Specific motor effects of capsaicin on human jejunum (EJP 20130)
C.A. Maggi, R. Patacchini, P. Santicioli, S. Giuliani, D. Turini, G. Barbanti, P. Beneforti, D. Misuri and A. Meli 393

Rapid communications

[^{3}H]Quaternised ICS 205-930 labels 5-HT$_3$ receptor binding sites in rat brain (EJP 0120R)
K.J. Watling, S. Aspley, C.J. Swain and J. Saunders 397

σ Receptors negatively modulate agonist-stimulated phosphoinositide metabolism in rat brain (EJP 0121R)
W.D. Bowen, B.N. Kirschner, A.H. Newman and K.C. Rice 399

Endothelium-derived relaxing factor inhibits renin release (EJP 0122R)
M.J. Vidal, J.C. Romero and P.M. Vanhoutte 401

Differential blockade by naloxonazine of two μ opiate actions: analgesia and inhibition of gastrointestinal transit (EJP 0123R)
D. Paul and G.W. Pasternak 403

Announcements 405

Author index 407

Keyword index 411